| TYPE | Ameritech ON& Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | | Dec-03 | Dec-04 | Dec-05 |
| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note 1   For Amerilech Ihir is a Circuit Switched Trunh Type Feature

'Note 2   For Arnerilech this is a Circuit Switched Trunk Type BSA Alternative

'Note 3   This Capability is Inherent With Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|---|---|---|---|---|---|---|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | Multiline Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|----------------------------------------|---------|---------|---------|---------|
| CNS | (Packet- Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| CNS | [Packet- Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note 1   For Ameritech **Ihir is a** Circuit Switched **Trunk Type Feature**

'**Note 2**   For Ameritech this is a Circuit Switched **Trunk Type** BSA Alternative

'Note 3   This Capability is **Inherent** wilh **Alarm** Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|----------------------------------------|------|------|------|------|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x 25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicaled Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AllernateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDi) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
| --- | --- | --- | --- | --- | --- | --- |
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note 1   For Ameritech this is a Circuit Switched Trunk Type Feature

'Note 2   For Amerilech this is a Circuit Switched Trunk Type BSA Alternative

'Note 3   This Capability is Inherent with Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|-------------------------|---------------------------------------|--------|--------|--------|--------|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|-----|------------------------------|--------------------------|------|------|------|------|
| CNS | Packet - Fast Select | [Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | (Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Liner | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note  1   For Ameritech this is a Circuit Switched Trunk Type Feature

'Note  2   For Ameritech this is a Circuit Switched Trunk Type BSA Alternative

'Note  3   This Capability is Inherent with Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billng Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|-----|-----------------------------|-------------------------|------|------|------|------|
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

*Note 1   For Ameritech this is a Circuit Switched Trunk Type Feature

'Note 2   For Ameritech this is a Circuit Switched Trunk Type BSA Alternative

'Note 3   This Capability is Inherent With Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|---------------------------------------|-----------------|----------------------------------|--------|--------|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|---|---|---|---|---|---|---|
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

*Note 1   For Amerilech this is a Circuit Switched Trunk Type Feature

'Note 2   For Amerilech this is a Circuit Switched Trunk Type BSA Alternative

*Note 3   This Capability is Inherent with Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|---|---|---|---|---|---|---|
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note 1   For **Amerilech this IS a Circuit Switched Trunk Type Feature**

'Note 2   **For Ameritech** this **IS a** Circuit **Switched Trunk Type BSA** Alternative

'Note 3   This Capability is Inherent with Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | | | | | | |
|---|---|---|---|---|---|---|
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG | 100% | 100% | 100% | 100% |
| CNS | Notification of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Originated Trace | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/cntrol | CF VAR REMOTE ACT/CONTROL | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |

*Note 1: For Ameritech this is a Circuit Switched Trunk Type Feature

*Note 2: For Ameritech this is a Circuit Switched Trunk Type BSA Alternative

*Note 3: This Capability is inherent with Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|----------------------------------------|------|------|------|------|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inerlswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|-----|------------------------------|--------------------------|------|------|------|------|
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'**Note** 1   For Ameritech this is a Circuit Switched Trunk **Type Feature**

'Note **2**   For **Arnerilech** this is a Circuit **Switched Trunh Type** BSA Allernative

'Note **3**   This **Capability** is **Inherent With Alarm Service** (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|---------------------------------------|---------|--------|--------|--------|
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x.25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypC - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64Kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Intf - Extended (SMDI-E) | C4 TypD - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Intf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Hunt Group Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangemnt | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Tranmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswitch/CFDA Inertswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wtg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Varialbe | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA CUST FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
|---|---|---|---|---|---|---|
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

*Note 1 For Ameritech this is a Circuit Switched Trunk Type Feature

'Note 2 For Ameritech this is a Circuit Switched Trunk Type BSA Alternative

'Note 3 This Capability is Inherent With Alarm Service (DNAL)

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % | Projected % Access Lines | | |
|---|---|---|---|---|---|---|
| | | | Dec-02 | Dec-03 | Dec-04 | Dec-05 |
| BSA | Line Type | C1 TypA - Ckt Sw Line | 100% | 100% | 100% | 100% |
| BSA | Trunk Type | C1 TypB - Ckt Sw Trunk | 100% | 100% | 100% | 100% |
| BSA | Type A x 25 | C2 TypA - X.25 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type B x.75 | C2 TypB - X.75 Pkt Sw | 100% | 100% | 100% | 100% |
| BSA | Type C Direct Analog | C3 TypD - Ded Voice Grd | 100% | 100% | 100% | 100% |
| BSA | Dedicated Program Audio | C3 TypD - Ded Prgm Audio | 100% | 100% | 100% | 100% |
| BSA | Dedicated Type E Dedicated Video | C3 TypE - Ded Video | 100% | 100% | 100% | 100% |
| BSA | Ameritech Base Rate Services | C3 TypF - Ded < 64kbps | 100% | 100% | 100% | 100% |
| BSA | AIT DS1 Services | C3 TypG - Ded High Cap DG (1.544MBPS) | 100% | 100% | 100% | 100% |
| BSA | AIT DS3 Services | C3 TypH - Ded High Cap DG > (1.544Mbps) | 100% | 100% | 100% | 100% |
| BSA | AIT Base Rate Service | C3 TypK - Ded DG (64kbps) | 100% | 100% | 100% | 100% |
| BSA | (DNAL) Signal Trans Point Access | C4 TypA - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Circuit Switch Facility Control | C4 TypB - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simplified Message Desk Interfaces (SMDI) | C4 TypC - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL Simp Mesg Dsk Inf - Extended (SMDI-E) | C4 Simp - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Network Reconfiguration Service | C4 TypE - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL - Alarm Service | C4 TypF - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | DNAL AIT Switch-Computer App Inf (ASCAI) | C4 TypG - Dedicated Network Access Link | 100% | 100% | 100% | 100% |
| BSA | AlternateRouting (Note 1) | Alternate Routing | 100% | 100% | 100% | 100% |
| BSA | Tandem Routing (Note 1) | Tandem Routing | 100% | 100% | 100% | 100% |
| BSA | 800 Dialing Alternative (Note 2) | CXR Select On RVRS Charg | 100% | 100% | 100% | 100% |
| BSE | Calling Billing Number Delivery (ANI) | CLLG Bllg Num Deliv FG D | 100% | 100% | 100% | 100% |
| BSE | Called Directory Number Delivery | CLLD DN Deliv via 900NXX | 100% | 100% | 100% | 100% |
| BSE | Preferential Hunting | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Central Office Announcements | MLHG CO Announcements | 100% | 100% | 100% | 100% |
| BSE | Make Busy Arrangements | Make Busy Key | 100% | 100% | 100% | 100% |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 100% | 100% | 100% | 100% |
| BSE | Queing | MLHG UCD With Queing | 100% | 100% | 100% | 100% |
| BSE | Regular Multiline Hunt Group | Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Circular Multiline Hunt Group | Circular Multiline Hunt Group | 100% | 100% | 100% | 100% |
| BSE | Multiline Overflow | MLHG Overflow | 100% | 100% | 100% | 100% |
| BSE | Nonhunt Nbr for use w/Group Arr or UCD Arrangement | MLHG Access to Each Port | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting | MWI Activation (Audible) | 100% | 100% | 100% | 100% |
| BSE | Three Way Call Transfer | Three Way Call Transfers | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery (I.E., SMDI) | Message Desk (SMDI) | 100% | 100% | 100% | 100% |
| BSE | Packet - Reverse Billing | REV BLLG on CKT/PKT ACC | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of Message Waiting - Expanded | MWI ACT (Audible) Expand | 100% | 100% | 100% | 100% |
| BSE | Packet - Fast Select Acceptance | Fast Selection Accept PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| BSE | Packet - Hunt Groups | Hunt Groups Packet | 100% | 100% | 100% | 100% |
| BSE | Packet - Call Redirection | Call Redirection Packet | 100% | 100% | 100% | 100% |
| BSE | Bridging | Bridging | 100% | 100% | 100% | 100% |
| BSE | Conditioning | Conditioning | 100% | 100% | 100% | 100% |
| BSE | Secondary Channel | Secondary CH Capacity | 100% | 100% | 100% | 100% |
| BSE | Answer Supervision w/Line Side Interface | Answer SUPV'N Line Side | 100% | 100% | 100% | 100% |
| BSE | Automatic Loop Transfer | Automatic Protect Switch | 100% | 100% | 100% | 100% |
| BSE | Access to Clear Channel Capability | ACC to CLR CH Transmissn | 100% | 100% | 100% | 100% |
| BSE | Ameritech Network Reconfiguration Service | Network Reconfiguration | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS3 to DS1 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to Voice/Base Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Ameritech DS1 to DDS/DS0 Multiplexing | Multiplexing - Digital | 100% | 100% | 100% | 100% |
| BSE | Special Facilities Routing | Route Diversity | 100% | 100% | 100% | 100% |
| BSE | Flexible ANI | Flexible ANI | 100% | 100% | 100% | 100% |
| BSE | Access To Extended Superframe | Extended Superframe COND | 100% | 100% | 100% | 100% |
| BSE | Call History Package Delivery -Expanded (SMDI-E) | MSSG Desk Expand (SMDI-E) | 100% | 100% | 100% | 100% |
| BSE | Initial Address Message | Initial Address Message | 100% | 100% | 100% | 100% |
| BSE | Coordinated Voice and Data | Coordinated Voice and Data | 100% | 100% | 100% | 100% |
| BSE | Call Redirection | Call Redirection | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Call Transfer | Computer Assisted Call Transfer | 100% | 100% | 100% | 100% |
| BSE | Computer Assisted Dialing | Computer Assisted Dialing | 100% | 100% | 100% | 100% |
| BSE | Remote Activation of MW (Visual) | MWI Activation (Visual) | 100% | 100% | 100% | 100% |
| BSE | Remote Act of MWI - Expand | MWI ACT (Visual) Expand | 100% | 100% | 100% | 100% |
| BSE | Detection of Subscriber Line Breaks (Note 3) | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | Call Screening (CLASS) | Selective Call Rejection | 100% | 100% | 100% | 100% |
| CNS | Busy Line Transfer | CFBL Intraswitch/CFBL Interswitch | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CFDA Intraswich/CFDA Inerswitch | 100% | 100% | 100% | 100% |
| CNS | Message Waiting Tone | MWI ATR Audible Msg Wrg | 100% | 100% | 100% | 100% |
| CNS | Call Identification | Dist Ring Term Screen | 100% | 100% | 100% | 100% |
| CNS | Call Waiting w/ Cancel Feature | Call Waiting | 100% | 100% | 100% | 100% |
| CNS | Call Forwarding Variable | CF Variable/CF Variable w/o Crtsy Cal | 100% | 100% | 100% | 100% |
| CNS | Customer Control of Busy line Transfer or Alternate An | CFBL/DA ACT/DEACT, CFBL DA, CFBL FWD TO NO | 100% | 100% | 100% | 100% |
| CNS | Speed Calling | Speed Calling | 100% | 100% | 100% | 100% |
| CNS | Repeat Dialing (CLASS) | Automatic Call Back | 100% | 100% | 100% | 100% |
| CNS | Packet - Direct Call | Direct Call Packet | 100% | 100% | 100% | 100% |

| TYPE | Ameritech ONA Capability | GENERIC/REGIONAL NAME OF ONA SERVICES | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|--------------------------|----------------------------------------|--------|--------|--------|--------|
| CNS | Packet - Closed User Groups | Closed Users Groups PKT | 100% | 100% | 100% | 100% |
| CNS | Packet - Fast Select | Fast Select Request PKT | 100% | 100% | 100% | 100% |
| CNS | Easy Call | Warm Line | 100% | 100% | 100% | 100% |
| CNS | BSY Line XFER & ALT ANSW | CF MULT SIM CALL INTERSW | 100% | 100% | 100% | 100% |
| CNS | Automatic Callback (Class) | Automatic Recall | 100% | 100% | 100% | 100% |
| CNS | Notification of Sub Line Breaks | VER Intgrty Subscr Lines | 100% | 100% | 100% | 100% |
| CNS | CF VAR Remote ACT/Cntrol | CF VAR REMOTE ACT/CNTROL | 100% | 100% | 100% | 100% |
| CNS | Caller ID | CLLG DN DELIV VIA ICLID | 100% | 100% | 100% | 100% |
| CNS | Call Trace (Class) | Cust Orginated Trace | 100% | 100% | 100% | 100% |
| CNS | Notication of SUB Line Breaks | DERIVED CH (Monitoring) | 100% | 100% | 100% | 100% |
| CNS | Remote Activation of MW | MWI ATR VISUAL MSG WTG. | 100% | 100% | 100% | 100% |
| CNS | Call Waiting | CFDA After CW | 100% | 100% | 100% | 100% |
| CNS | Caller ID with Name | Name of Calling Party | 100% | 100% | 100% | 100% |
| CNS | Alternate Answering | CUST Change Number Rings | 100% | 100% | 100% | 100% |

'Note 1   For Ameritech this IS a Circuit **Switched Trunk Type Feature**

'Note 2   **For** Ameritech this is a Circuit Switched **Trunk Type BSA** Alternative

'Note 3   This **Capability is Inherent** wilh **Alarm Service (DNAL]**

Total **Company**

| Type | Pacifc Bell ONA Capability | Generic Cross Reference NA | Actual % Dec-02 | Projected % Access Lines Dec-03 | Dec-04 | Dec-05 |
|------|----------------------------|----------------------------|-----------------|--------------------------------|--------|--------|
| BSE | Access to Clear Channel Transmission | Access to Clear Channel Transmission | 99% | 100% | 100% | 100% |
| BSA | Alternate Traffic Routing | Alternate Traffic Routing | 99% | 100% | 100% | 100% |
| BSE | Answer Supervision (Line Side) | Answer Supervision Ln Sd interface | 60% | 60% | 70% | 70% |
| CNS | Repeat Dialing | Automatic Callback | 99% | 99% | 99% | 99% |
| BSE | Automatic Loop Transfer | Automatic Protection Switching | 99% | 100% | 100% | 100% |
| CNS | Call Return | Automatic Recall | 99% | 99% | 99% | 99% |
| BSE | Bridging | Bridging | 99% | 100% | 100% | 100% |
| BSA | Access Line Arrangement (FGA) | C1 Type A, Circuit Switched Line | 99% | 100% | 100% | 100% |
| BSA | Access Trunk Arrangement (FGB, D) | C1 Type B, Circuit Switched Trunk | 99% | 100% | 100% | 100% |
| BSA | Public Packet Switching (X.25) | C2 Type A - X.25 Packet Switched | 18% | 18% | 18% | 18% |
| BSA | Public Packet Switching (X.75) | C2 Type B - X.75 Packet Switched | 18% | 18% | 18% | 18% |
| BSA | Metallic Service | C3 Type A, Dedicated Metallic | 99% | 100% | 100% | 100% |
| BSA | Telegraph Grade Service | C3 Type B, Dedicated Telegraph | 99% | 100% | 100% | 100% |
| BSA | Voice Grade Service | C3 Type C, Dedicated Voice Grade | 99% | 100% | 100% | 100% |
| BSA | Program Audio Service | C3 Type D, Dedicated Program Audio | 99% | 100% | 100% | 100% |
| BSA | Video Service | C3 Type E, Dedicated Video | 99% | 100% | 100% | 100% |
| BSA | BSA Digital Data Service, Priv Line Svc | C3 Type F, Dedicated Digital <64kbps | 99% | 100% | 100% | 100% |
| BSA | High Capacity Svc (1.544Mbps) | C3 Type G, Dedicated 1.544 Mbps | 99% | 100% | 100% | 100% |
| BSA | High Capacity Svc (>1.544Mbps) | C3 Type H, Dedicated >1.544 Mbps | 99% | 100% | 100% | 100% |
| BSA | POLLSTAR DLC Security Transport | C3 Type I, Dedicated Alert Transport | 99% | 100% | 100% | 100% |
| BSA | Dedicated Network Access Link | C4 Dedicated Network Access Link | 98% | 100% | 100% | 100% |
| BSE | Call Denial on Line or Hunt Group | Call Denial on Line or Hunt Group | 99% | 100% | 100% | 100% |
| CNS | Call Forwarding Variable | Call Forwarding Variable | 99% | 100% | 100% | 100% |
| CNS | Busy Call Forwarding Extended | Call Forwarding-Bsy Ln Interswitch | 98% | 100% | 100% | 100% |
| CNS | Call Forward Busy Line | Call Forwarding-Bsy Ln Intraswitch | 99% | 100% | 100% | 100% |
| CNS | Call Forwarding Don't Answer Intersw | Call Forwarding-DA Interswitch | 98% | 100% | 100% | 100% |
| CNS | Call Forwarding Don't Answer Intrasw | Call Forwarding-DA Intraswitch | 99% | 100% | 100% | 100% |
| CNS | Call Forwarding Variable | Call Fwd Mult Sim Cls Interswitch | 98% | 100% | 100% | 100% |
| BSE | DTE Backup (Packet) | Call Redirection Packet | 18% | 18% | 18% | 18% |
| CNS | Call Waiting (Cancel) | Call Waiting (Cancel) | 99% | 100% | 100% | 100% |
| BSE | Direct Inward Dial Service | Called DN Delivery via DID | 99% | 100% | 100% | 100% |
| BSE | Automatic Number Identification | Calling BN Delivery via FG D | 98% | 100% | 100% | 100% |
| BSE | Calling DN Delivery via BCLID | Calling DN Delivery via BCLID | 98% | 99% | 99% | 99% |
| BSE | Caller ID | Calling DN Delivery via ICLID | 98% | 99% | 99% | 99% |
| BSA | 800 Access Service | Carrier Select on Reverse Charge | 99% | 100% | 100% | 100% |
| CNS | Call Forwarding BY/DA - Fixed | CFBL/DA-Cust Cntrl Act/Deactivtn | 98% | 100% | 100% | 100% |
| CNS | Call Forwarding BY/DA - programming | CFBL/DA-Cust Cntrl Fwd to Number | 98% | 100% | 100% | 100% |
| CNS | Call Forwarding Variable | CFV-Activation w/o Courtesy Call | 98% | 100% | 100% | 100% |
| CNS | CFV-Remote Activation/Control | CFV-Remote Activation/Control | 99% | 100% | 100% | 100% |
| BSE | Closed User Group (Packet | Closed User Group (Packet | 18% | 18% | 18% | 18% |
| BSE | Channel Conditioning | Conditioning | 99% | 100% | 100% | 100% |
| CNS | Call Trace | Customer Originated Trace | 98% | 99% | 99% | 99% |
| CNS | Digital Data Over Voice | Data Over Voice (DOV) Service | 99% | 100% | 100% | 100% |
| CNS | POLLSTAR (Monitoring) | Derived Channels (Monitoring) | 99% | 100% | 100% | 100% |
| BSE | DID Trunk Queuing | DID Trunk Queuing | 98% | 100% | 100% | 100% |
| CNS | Direct Call (Packet) | Direct Call (Packet) | 18% | 18% | 18% | 18% |
| CNS | Priority Ringing | Distinctive Ringing | 98% | 98% | 99% | 99% |
| BSE | Fast Select Acceptance (Packet) | Fast Select Acceptance (Packet) | 18% | 18% | 18% | 18% |
| BSE | Fast Select Initiate (Packet) | Fast Select Request Packet | 18% | 18% | 18% | 18% |
| CNS | Direct Connection | Hot Line | 90% | 100% | 100% | 100% |
| BSE | Hunt Group (INT/EXT) | Hunt Groups Packet | 18% | 18% | 18% | 18% |
| BSE | Availability Control Arrangement | Make Busy Key | 98% | 100% | 100% | 100% |
| BSE | Forwarded Call Information | Message Desk (SMDI) | 98% | 100% | 100% | 100% |
| BSE | Hunting Service (MLHG ACC EA Port) | MLHG Access to Each Port | 99% | 100% | 100% | 100% |
| BSE | Hunting Srv (MLHG CO Announcement) | MLHG CO Announcements | 98% | 100% | 100% | 100% |
| BSE | Hunting Service (MLHG Overflow) | MLHG Overflow | 98% | 100% | 100% | 100% |

| Type | Pacifc Bell ONA Capability | Generic Cross Reference NA | Actual % Dec-02 | Projected % Access Lines | | |
|------|---------------------------|----------------------------|-----------------|--------|--------|--------|
| | | | | Dec-03 | Dec-04 | Dec-05 |
| BSE | Uniform Call Distribution | MLHG UCD Line Hunting | 98% | 100% | 100% | 100% |
| BSE | Uniform Call Dst (Queing) | MLHG UCD with Queuing | 98% | 100% | 100% | 100% |
| BSE | Hunting Service | Multiline Hunt Group | 99% | 100% | 100% | 100% |
| CNS | Message Waiting Indicator | MWI-Ability to Receive AUD Msg Wtg | 98% | 100% | 100% | 100% |
| CNS | Electronic Business Set Msg Wtg | MWI-Ability to Receive Vis Msg Wtg | 98% | 100% | 100% | 100% |
| BSE | MWI Activation (Audible) | MWI-Activation (Audible) | 98% | 100% | 100% | 100% |
| BSE | Electronic Business Set Msg Wtg | MWI-Activation (visual) | 99% | 100% | 100% | 100% |
| BSE | Customer Network Reconfiguration | Network Reconfiguration | 99% | 100% | 100% | 100% |
| BSE | Preselection for Data Services | Preselection for Data Services | 18% | 18% | 18% | 18% |
| BSE | Reverse Charge Acceptance (Packet) | Reverse Charge Acceptance (Packet) | 18% | 18% | 18% | 18% |
| BSE | Secondary Channnel | Secondary Channel Capability | 99% | 100% | 100% | 100% |
| CNS | Select Call Forwarding | Selective Call Forward | 98% | 99% | 99% | 99% |
| CNS | Call Screen | Selective Call Rejection | 98% | 99% | 99% | 99% |
| CNS | Network Speed Calling | Shared Speed Calling | 99% | 100% | 100% | 100% |
| CNS | Speed Calling (8 & 30 Number) | Speed Calling | 99% | 100% | 100% | 100% |
| BSE | Svc Code Denial on Ln or Hung Grp | Svc Code Denial on Ln or Hunt Grp | 99% | 100% | 100% | 100% |
| BSE | Tandem Routing | Tandem Routing | 99% | 100% | 100% | 100% |
| BSE | Call Transfer | Three Way Call Transfer | 99% | 100% | 100% | 100% |
| BSE | POLLSTAR (Vfy Integrity of Sub Lns) | Verify Integrity of Subscriber Lns | 99% | 100% | 100% | 100% |
| CNS | Warm Line | Warm Line | 60% | 65% | 70% | 70% |